

**From:** Freedom of Information Requests

**Sent:** 10 August 2023 14:23

**To:**

**Subject:** FOI Response - [REDACTED]

Dear [REDACTED]

Thank you for your Freedom of Information request dated 29 July 2023 for information about sewage leaks in schools. Please find below City of Doncaster Council's responses to the questions you have raised.

### **Request**

Please tell me how many schools in your area have had a sewage leak on their premises in each of the last five school years starting in a) 2018 b) 2019 c) 2020 d) 2021 e) 2022. For each incident, please tell me the name of the school, where on the premises the leak was, whether the school or part of the school had to close and how long for.

### **Response**

2018 – Scawthorpe Castle Hills Primary School

Sewage leak caused by localised flooding

Temporary accommodation was provided and the school remained open.

There have been no further sewage leaks.

I hope that this information is useful to you.

The City of Doncaster Council estimates that it has cost £42.50 to respond to this request for information.

### **Reviewing any decisions made:**

If you are not happy with this reply you can ask us to review our response. To do this write to us within 40 working days of receiving your response at the address below or email [FOIAppeals@doncaster.gov.uk](mailto:FOIAppeals@doncaster.gov.uk)

If you do not agree with the review decision you can apply to the Information Commissioner's Office (ICO) for a decision about our compliance or otherwise with the Freedom of Information legislation. Contact details for the ICO are: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF. [www.ico.org.uk](http://www.ico.org.uk) Telephone 0303 123 1113.

**Ellen Dook**

**Information Governance Officer**

Corporate Resources

City of Doncaster Council

Address Civic Office, Waterdale, Doncaster, DN1 3BU

Website [www.doncaster.gov.uk](http://www.doncaster.gov.uk)