

Archived: 15 July 2025 14:41:39

From: [FOI Responses](#)

To: [REDACTED]

Subject: EIR Response - [REDACTED]

Importance: Normal

Sensitivity: None

Attachments:

[EIR Response.docx](#) 

Dear [REDACTED]

Thank you for your Environmental Information request dated 14th May 2025 for information about highway design guidelines or standards. Please find attached the information you have requested.

I hope that this information is useful to you.

City of Doncaster Council estimates that it has cost £98.00 to respond to this request for information.

Reviewing any decisions made:

If you are not happy with this reply you can ask us to review our response. To do this write to us within 40 working days of receiving your response at the address below or email FOIAppeals@doncaster.gov.uk

If you do not agree with the review decision you can apply to the Information Commissioner's Office (ICO) for a decision about our compliance or otherwise with the Freedom of Information legislation. Contact details for the ICO are: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF. www.ico.org.uk Telephone 0303 123 1113.

Yours sincerely,
Sophie

Sophie Ormshaw

Information Governance Officer
Information Governance Team
Corporate Resources
City of Doncaster Council
Civic Office
Waterdale
Doncaster
DN1 3BU

Phone: 01302 735326

E-mail: sophie.ormshaw@doncaster.gov.uk

Web: <http://www.doncaster.gov.uk/>

Please treat the content of this e-mail as confidential. If you have received this e-mail and it is not addressed to you please accept my apologies and inform me as soon as possible.

From: [REDACTED]
Sent: 14 May 2025 10:57
To: [REDACTED]
Subject: Freedom of Information Request

Caution! This message was sent from outside your organization.

[Allow sender](#)

To whom it may concern,

Please find attached a freedom of information request in both Word and PDF formats.

Please can you return the responses to this email address: [REDACTED]

Kind regards,

[REDACTED]

[REDACTED]

[REDACTED]