

From: [FOI Responses](#)
To: [REDACTED]
Bcc: [REDACTED]
Subject: EIR Request - [REDACTED]
Date: 06 February 2024 12:50:00
Attachments: [image001.png](#)

Good afternoon

Thank you for your Environmental Information Regulations request dated 16 January 2024, for information about ultra-low emission zones or low emission zones in the City of Doncaster Council area.

Please find below City of Doncaster Council's responses to the questions you have raised.

Request:

"In accordance with the Freedom of Information Act, I would like to request the following information.

Details of any internal communications regarding the implementation of ultra low emission zones or low emission zones in the council area?

In line with your duty under Section 16 of the Freedom of Information Act, please provide me with the appropriate support with this request where appropriate."

Response:

Regulation 12(4)(a) – Information is not held

City of Doncaster Council does not hold this information as there has been no proposals made for ultra-low emission zones or low emission zones in Doncaster and there are currently no plans to develop proposals.

I hope that this information is useful to you.

Reviewing any decisions made:

If you are not happy with this reply you can ask us to review our response. To do this write to us within 40 working days of receiving your response at the address below or email FOIAppeals@doncaster.gov.uk

If you do not agree with the review decision you can apply to the Information Commissioner's Office (ICO) for a decision about our compliance or otherwise with the Freedom of Information legislation. Contact details for the ICO are: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF. www.ico.org.uk Telephone 0303 123 1113.

Yours sincerely,

Lucy McMahon

Freedom of Information Officer
Corporate Resources
City of Doncaster Council

Phone 01302 736000
Address Civic Office, Waterdale, Doncaster, DN1 3BU

Email FOI@doncaster.gov.uk

Website www.doncaster.gov.uk

